

12/17/99
JCS65 U.S. PTO

12-20-99

A

THE ASSISTANT COMMISSIONER OF PATENTS
Washington, D.C. 20231

DOCKET NUMBER: AUS990846US1
December 17, 1999

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: **MICHAEL W. BROWN, ET AL.**

For: **METHOD, SYSTEM AND PROGRAM FOR SPECIFYING AN ELECTRONIC FOOD MENU ON A DATA PROCESSING SYSTEM**

Enclosed are:

☒ Patent Specification and Declaration

☒ 9 sheets of drawing(s).

☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).

☐ A certified copy of a ☐ application.

☐ Information Disclosure Statement, PTO 1449 and copies of references.

The filing fee has been calculated as shown below:


For	Number Filed	Number Extra	Rate	Fee
Basic Fee				\$760.00
Total Claims	70 - 20	50	x 18 =	\$900.00
Indep. Claims	4 - 3	1	x 78 =	\$78.00
0 MULTIPLE DEPENDENT CLAIM PRESENTED			x 260 =	\$0.00
TOTAL				\$1738.00

☒ Please charge my IBM Corporation Deposit Account No. 09-0447 in the amount of \$1738.00. A duplicate copy of this sheet is enclosed.


☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to IBM Corporation Deposit Account 09-0447. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR §1.16.

☒ Any patent application processing fees under 37 CFR §1.17.

CERTIFICATE OF MAILING BY "EXPRESS MAIL" UNDER 37 CFR § 1.10	
"Express Mail" mailing label number EL453464681US	
Date of Mailing December 17, 1999	
I hereby certify that the documents indicated below are being deposited with the United States Postal Service under 37 CFR 1.10 on the date indicated above and are addressed to Box Patent Applications, Assistant Commissioner of Patents, Washington, D C 20231 and mailed on the above Date of Mailing with the above "Express Mail" mailing label number.	
Chris Montez	
(name of person mailing paper)	SIGNATURE of person mailing paper or fee

Respectfully submitted,

By 
Brian F. Russell
Registration No. 40,796
FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP
Suite 350, Lakewood on the Park
7600B North Capital of Texas Highway
Austin, Texas 78731
Telephone (512) 343-6116

**METHOD, SYSTEM AND PROGRAM FOR SPECIFYING AN ELECTRONIC
FOOD MENU ON A DATA PROCESSING SYSTEM**

BACKGROUND OF THE INVENTION

1. Technical Field:

5 The present invention relates in general to an improved method, system and program for presenting a food menu electronically, and in particular to a method, system and program for efficiently specifying an electronic food menu. Still more particularly, the present invention relates to a method, system and program for specifying an electronic menu for a particular customer on a data processing system.

10 **2. Description of the Related Art:**

15 The global economy has made the business of selling more competitive than ever. Businesses that do not maximize customer satisfaction and profitability will typically not survive in today's markets. Businesses are therefore demanding tools and methods to provide their competitive edge.

20 In the area of food sales, maximizing customer satisfaction is particularly important to businesses. It is commonly recognized that what and when a person eats has a great impact on a person's overall health and well being. Therefore, in maximizing customer satisfaction, there has been a shift towards providing the customer with menus that provide for customer needs. For example, many menus indicate entrees for heart health conscious customers.

5 In addition to heart healthy selections, other
factors come together for customers selecting from a
menu. For example a customer may make menu selections
based on personal health reasons such as diabetes, heart
disease, food allergies and sensitivity to heart burn.
10 In addition, a recovering alcoholic or one who avoids
caffeine may select items that do not include these
substances. In another example, a customer may select
food based on philosophical reasons, such as selecting
foods that are only grown organically. Alternatively, an
entrée's assumed aesthetic effect on the body may effect
a customer's selection depending on whether the customer
is attempting to lose or gain weight. Further, religious
15 reasons may frequently prohibit not only what can be
eaten and when, but how the food is prepared.

20 While there have been efforts to provide more
information about food on a menu, it is typically
difficult to know what one is eating, when dining out or
purchasing preprocessed food. Some menus now include a
list of some ingredients and some waiters may know the
main ingredients of dish, however finding out a list of
every ingredient and preparation thereof is typically not
available or there is not an efficient way for the
25 information to be provided. Likewise, requesting actions
that deviate from the norm are often miscommunicated
enroute to the cooking/preparation staff. For example,
requesting that an ingredient, like onions, be removed.

30 Another difficulty in purchasing food for some can
be the way that a menu is provided. For example, seeing-
impaired customers typically have difficulty reading a
menu in restaurants and other food venues. In addition,
when in a foreign country, menus in a language understood
35 by the customer may not be available. Moreover, when in

a foreign country converting currency to determine the relative expense of an item in one's typical currency can be time consuming.

5 Therefore, in view of the aforementioned, it would
be preferable to provide a method for customers to easily
attain a list of menu items which meet their ordering
criteria and menu items which do not meet their ordering
criteria. In addition, it would be preferable to provide
10 a method for cooking/preparation staff to receive
customer's orders with any special requests in an
efficient manner. Further, it would be preferable to
provide a method for rendering a menu such it is easily
understandable according to a user's preferences.

SUMMARY OF THE INVENTION

5 In view of the foregoing, it is therefore an object of the present invention to provide an improved method, system and program for presenting a food menu electronically.

10 It is another object of the present invention to provide a method, system and program for efficiently specifying an electronic food menu.

15 It is yet another object of the present invention to provide a method, system and program for specifying an electronic food menu for a particular customer on a personal data processing system.

20 In accordance with the method, system and program of the present invention, multiple food menu items are retrieved from a data storage medium by a data processing system with access to the data storage medium via a communications medium. The multiple food menu items are compared with previously stored food preferences for a particular customer. A food menu is selected, wherein the food menu items that satisfy said food preferences for said particular customer are distinguished, such that an electronic food menu is specified for a particular customer.

25
30 All objects, features, and advantages of the present invention will become apparent in the following detailed written description.

BRIEF DESCRIPTION OF THE DRAWINGS

5 The invention itself, as well as a preferred mode of use, further objects, and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

10 **FIG. 1** depicts a block diagram of a typical computer system that may utilize a preferred embodiment of the present invention;

15 **FIG. 2** illustrates a system for selecting an electronic food menu in accordance with the method and system of a preferred embodiment of the present invention;

20 **FIG. 3** depicts multiple types of computer systems which may be utilized to specify an electronic food menu in accordance with the method and system of the present invention;

25 **FIG. 4** illustrates a block diagram of a storage structure for food menu items in accordance with the method and system of the present invention;

30 **FIG. 5** depicts a block diagram of a storage structure for a selection of food preferences in accordance with the method and system of the present invention;

FIGS. 6a-6c illustrate a graphical representation of a specialized electronic food menu in accordance with the method and system of the present invention;

FIG. 7 depicts a high level logic flowchart of a process for specializing an electronic food menu for a particular customer in accordance with the method and system of the present invention;

5

FIG. 8 illustrates a high level logic flowchart of a process for placing a food order in accordance with the method and system of the present invention; and

10

FIG. 9 depicts a high level logic flowchart of a process for presenting electronic coupons.

US 9,908,466 B2

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

5 The present invention may be executed in a variety of systems, including a variety of computers under a number of different operating systems. The computer may be, for example, a personal computer, a personal digital assistant, a network computer, a midrange computer or a mainframe computer. In addition, the computer may be a stand-alone system or part of a network such as a local-area network (LAN) or a wide-area network (WAN).
10 Therefore, in general, the present invention is preferably executed in a computing device that performs computing tasks such as manipulating data in storage that is accessible to the computing device. In addition, the computing device preferably includes at least one output device and at least one input device.

15 Referring now to the drawings and in particular to **Fig.1**, there is depicted a block diagram of a typical computer system that may utilize a preferred embodiment of the present invention. As shown, a processor (CPU) **12**, a read-only memory (ROM) **13**, and a Random-Access Memory (RAM) **14** are connected to a system bus **11** of a computer system **10**. CPU **12**, ROM **13**, and RAM **14** are also coupled to a PCI local bus **20** of computer system **10** through a PCI host bridge **16**. PCI host bridge **16** provides a low latency path through which processor **12** may directly access PCI devices mapped anywhere within bus memory and/or I/O address spaces. PCI host bridge **16** also provides a high
20 bandwidth path for allowing PCI devices to directly access RAM **14**.

25 Also attaching to PCI local bus **20** are communications adapter **15**, small computer system interface (SCSI) **18**, and expansion bus bridge **29**. In the present embodiment,
30
35

communications adapter 15 is for connecting computer system 10 to a network 17. In alternate embodiments, communications adapter 15 may provide for communicating via wireless transmissions, including but not limited to, radio frequency (RF) transmissions or infrared transmissions.

SCSI 18 is utilized to control high-speed SCSI disk drive 19. Alternatively, other types of data storage medium may be utilized. Expansion bus bridge 29, such as a PCI-to-ISA bus bridge, may be utilized for coupling ISA bus 25 to PCI local bus 20. As shown, a keyboard 26 and a mouse 28 are attached to ISA bus 25 for performing certain basic I/O functions. In addition, an audio adapter 23 is attached to PCI local bus 20 for controlling audio output through speaker 24. A graphics adapter 21 is also attached to PCI local bus 20 for controlling visual output through display monitor 22. In alternate embodiments of the present invention, additional peripheral components may be added. For example, in alternate embodiments, a tactile display component may be provided.

Computer system 10 also preferably includes an interface such as a graphical user interface (GUI) and an operating system (OS) that reside within machine readable media to direct the operation of computer system 10. Any suitable machine-readable media may retain the GUI and OS, such as RAM 14, ROM 13, SCSI disk drive 19, and other disk and/or tape drive(e.g. magnetic diskette, magnetic tape, CD-ROM, optical disk, or other suitable storage media). Any suitable GUI and OS may direct CPU 12. For example, the AIX operating system is one of IBM's operating systems which may be implemented.

Further, computer system 10 preferably includes at least one software application(e.g. program product) that resides within machine readable media, for example menu specification application 9 in RAM 14. A software application contains instructions that when executed on CPU 12 carry out the operations depicted in the flowcharts of FIG. 7, FIG. 8, and others described herein.

With reference now to FIG. 2, there is depicted a system for selecting an electronic food menu in accordance with the method and system of a preferred embodiment of the present invention. As depicted, a data storage medium 40 comprises a database of food menu items 42. Preferably the database of food menu items 42 comprises multiple food menu names with descriptions, prices, ingredients, ingredient quantities, preparation techniques and other food/health data for each food menu item.

In accordance with the present invention, a computer system 10 communicates with data storage medium 40 via a communications medium. In addition, computer system 10 communicates with other data processing systems (not shown) via a communications medium. The communications medium may comprise wireless communications, network communications, a wired connection or other communication media that enables transmission of data to and from computer system 10 and data storage medium 40. In addition, computer system 10 is preferably enabled to communicate via multiple communications media. Wireless RF communications are preferably supported by the Bluetooth or other RF transmission specification.

Data exchange across the communications medium is preferably supported by a data transmission protocol such as extensible mark-up language (XML). In addition, a data translation file such as a document type definition (DTD)

or schema is preferably provided to validate and translate the XML data. Moreover, a style sheet such as an XSL file is preferably utilized to provide a display specification for the XML data. In addition, a web page or other network graphical interface may be accessed in order to access the XML data. For example, a particular restaurant may provide a web page for accessing the XML encoded data that includes food menu items 42 and other data.

Computer system 10 preferably includes stored food preferences 46 that are specified for a single user or multiple users. Food preferences 46 may include a specified price range for meals, ingredients to avoid, preparation preferences, current medications and selections of other food and health criteria such as a preference for heart smart meals. Food preferences 46 may include food preferences for a single customer or multiple customers. In alternate embodiments, food preferences 46 may be stored in a data storage medium that is externally or remotely accessible by computer system 10. In addition, computer system 10 may communicate through a communications medium with other computer systems to download food preferences to and from those computer systems. Food preferences 46 and other transmittable data stored on computer system 10 is preferably efficiently stored in a particular data transmission protocols such as XML.

Multiple levels of security may be specified for each set of food preferences 46 stored on computer system 10. For example, a shield from personal data stored with food preferences 46 such as a name, phone number, address, etc. may be shielded from transmittal and access. As will be understood by one well known in the art, multiple types of

security methods and filters may be applied to food preferences 46 and other data on computer system 10.

5 According to the method and system of the preferred embodiment, computer system 10 retrieves food menu items 42 from data storage medium 40, compares food menu items 42 with food preferences 46, and selects a food menu wherein those food menu items which satisfy food preferences 46 are designated. Computer system 10 then
10 outputs the specified electronic food menu. Alternatively, a food menu of food menu items 42 may be output by computer system 10 without designating particular food menu items. For example, when no food preferences are designated, a food menu of all food menu items without food preference based designation may be
15 provided.

In some cases, food menu items that do not satisfy food preferences 46 may be able to satisfy food preferences 46 if a particular ingredient or ingredients are removed or if a replacement ingredient is utilized. For example, at a restaurant that serves chocolate
20 milkshakes, a customer that specifies no caffeine in their food preferences would receive a specified electronic food menu where caffeine would be shown as the reason the food menu item does not satisfy their food preferences. In addition, the electronic food menu would show specifically that the chocolate syrup in the food menu item contains the caffeine. The customer may then order the chocolate
25 milkshake with an indication not to add chocolate syrup. In the same example, the chocolate milkshake may be made with 2% milk that has a greater amount of fat per serving than the food preferences for the customer allow. The specified electronic food menu would indicate that the
30 milkshake does not satisfy the food preferences because of

35

the fat content of the milk. The customer may then request that skim milk be utilized in making the milkshake instead of 2% milk.

5 Preferably, as a customer removes or substitutes ingredients, the overall dietary value of a food menu item is recalculated and other fields are updated in order that the food menu item can be compared with the food preferences again and the specified electronic food menu
10 updated. In addition, as the customer selects food menu items, an overall dietary value of the food menu items selected is preferably calculated.

15 The specified electronic food menu may be output to multiple peripherals. Examples of peripherals may include, but are not limited to a graphical display, an audio speaker, a tactile-detectable device, or a printer. In addition, computer system 10 may include output preferences 47 that are specified for a single user or
20 multiple users. Output preferences 47 may include, but are not limited to specifications such as the size of font in a graphical display, the type of tactile-detectable output (e.g. Braille), the language, or the currency. The specified electronic food menu is preferably output in
25 accordance with any output preferences 47.

30 In addition, the values displayed for the specified electronic food menu may be rendered in multiple formats according to output preferences 47. For example, only those food menu items that are designated may be displayed. Alternatively, all food menu items are displayed, but those food menu items that are not selected are indicated graphically. In addition, under those items that do not satisfy food preferences 46, ingredients that
35 do not satisfy food preferences 46 may be graphically

distinguished. Alternatively, food menu items are displayed in a sequential format where the best selection is displayed first and the worst selected displayed last. In addition, alternative coloring and highlights may be utilized to distinguish food menu items. For example, all food menu items that are designated are highlighted in bright green and those food menu items that are not designated are highlighted in bright red. Moreover, additional information about ingredients and other food and health related data may be available if selected by the customer.

The specified electronic food menu may include designations of daily specials, such as the Monday special. In addition to graphically distinguishing specials, daily specials may be automatically added to an electronic calendar 33 enabled on computer system 10. In the example of the Monday special, electronic calendar 33 can provide a reminder of the Monday special each Monday. Moreover, along with food menu items 42, coupon items and special offers may be transmitted with food menu items 42. For example, a coupon that is available for use during that restaurant visit or another may be transmitted with food menu items 42. If not utilized during that visit, the coupon can be stored and utilized for a subsequent visit. Coupons may be filtered based on food preferences 46, such as an age-related coupon. Alternatively, calendar based coupons may be transmitted with the food menu items. For example, a coupon that can be utilized on a particular Thursday when four or more dine may be transmitted with the food menu items and added to electronic calendar 33 on computer system 10.

After displaying the specified electronic food menu, computer system 10 may receive input designating an order

from the particular customer from the specified electronic food menu. In addition, the customer may designate a credit card number or other electronic money payment method. Computer system 10 transmits the electronic money payment data to data storage medium 40 or another payment controller. Data storage medium 40 requests validation of the electronic money payment, as is well known in the art. If approved, computer system 10 attaches any food preparation preferences that are designated in food preferences 46 and transmits the food order to an order queue 37 wherefrom a kitchen staff can access the order. The order queue may adjust waiting for orders by individual food preferences, group food preferences and other criteria. For example, the order queue may adjust waiting for orders based on the frequency that a customer orders from the restaurant. While in the present embodiment order queue 37 is included in data storage medium 40, in alternate embodiments, order queue 37 may be externally or remotely accessible by data storage medium 40 or stored in an alternate data storage medium.

Data storage medium 40 is preferably enabled to retrieve and store customer food preferences in a customer preference database 38. By gathering food preferences of customers ordering from a menu, a restaurant may utilize the data to adjust their menu to meet customer needs and preferences. Moreover, in knowing customer preferences, coupons and food menu items that are transmitted to the customer may be customized. For example, if a particular customer always orders two drinks, two sandwiches and two cookies, a special coupon may be transmitted to computer system 10 for that particular customer that gives a discount for ordering two drinks, two sandwiches and two cookies. In another example, the number of coffees a particular customer has purchased at a coffee shop may be

recorded such that on the 10th cup the customer receives a free coffee.

5 In addition, computer system 10 is preferably enabled
to store specified electronic food menus 45 and
specialized food orders 49 such that the menus can be
recalled and reused at a later time and orders can be
queued off-line. For example, if a family of four is
10 planning which restaurant to eat at, computer system 10
can compare electronic food menus 45 with the food
preferences for each member of the family. Each member of
the family may transmit their food preferences from their
computer system to one computer system 10 by infrared or
15 other short-range transmission medium. The restaurant or
restaurants that include food menu items that are suitable
for all members of the family are designated by computer
system 10. In addition, any stored coupons for those
restaurants may be indicated. Moreover, each member of
20 the family may determine an order from the specified
electronic food menu and queue the orders on computer
system 10. At the restaurant, the queued orders are
automatically transmitted to order queue 37 for the
kitchen.

25 In addition, a restaurant menu may be accessed on-
line by computer system 10. A specified electronic food
menu may be determined based on food preferences 46. In
addition, an order of food menu items from the specified
electronic food menu may be selected. The food order is
30 queued on computer system 10 at customer order 49 such
that the order can be automatically placed at the
restaurant. This function is particularly useful for a
parent restricting the eating of their child. The parent
may select food menu items that the child may order at
35 various restaurants or the school cafeteria from on-line

access to the restaurant menus. These specified orders are queued for ordering when computer system 10 is presented at one of those restaurants. This function is also particularly useful for creating a diet plan where food preference regulated meals from selected restaurants can be queued on computer system 10 such that the customer automatically orders a meal on their diet plan at the selected restaurants. In an alternate example, a group of co-workers may each specify an order from a particular restaurant's menu accessed on-line and queue the orders with their electronic payment data on computer system 10. Upon arriving at the restaurant, the queued orders can be automatically retrieved from computer system 10 and transmitted to order queue 37. In addition, concurrent with transmitting the order, electronic payment data is transmitted.

Referring now to **FIG. 3**, there are illustrated multiple types of computer systems which may be utilized to specify an electronic food menu in accordance with the method an system of the present invention. In the present embodiment, data storage medium 40 is included as an internal storage medium that is accessible by a server 48. In alternate embodiments, data storage medium 40 may be external or remote to server 48 or an alternate data processing system.

Multiple types of computer systems can retrieve data from and transmit data to data storage medium 40 via a communications link with server 48. Examples of computer systems include, but are not limited to, pervasive devices such as a mobile telephone 50, a personal digital assistant (PDA) 52, and a portable computer system 54. In addition a computer system may include and a desktop computer 59 or other workstation. Although not depicted, each of these computer systems may include additional

peripheral devices and may communicate with other computer systems.

As depicted, mobile telephone 50, PDA 52 and a portable computing system 54 are preferably enabled to communicate with server 48 via wireless transmissions. For example, mobile telephone 50 may utilize a wireless network communications link with server 48 via the Internet or other network. In another example, a personal digital assistant 52 may utilize an infrared or RF communications link with server 48. Alternatively, a desktop computer 59 may communicate with a server 58 via a network connection, whereby server 58 communications with server 48 via a network 56, such as the Internet. In yet another embodiment, a computer system, such as portable computing system 54 may utilize a wired transmission link directly to server 48. As previously described, the communications medium may be specified by multiple types of transmission specifications, such as Bluetooth. In addition, as previously described, data transmission across the communications medium may be supported by multiple data transmission protocols, such as XML.

With reference now to **FIG. 4**, there is illustrated a block diagram of a storage structure for food menu items in accordance with the present invention. As depicted, the food menu items corresponding to a menus from restaurants "1" and "2" are preferably stored in a data storage structure such as database 60. The example database 60 is provided in order to depict a selection of fields 62 which may be included in a data storage structure that is filterable. For the purposes of example, food menu items have been entered for rows 64, 66 and 68. In alternate embodiments, alternate selections of fields for defining food and health data for food menu items may

be utilized. In addition, alternate types of data storage structures and methods may be utilized. Further, while not depicted, a graphical interface for entering a selection of fields 62 and food menu items is preferably provided.

As depicted in FIG. 4, fields 62 include multiple fields. For example, a menu number field designates to which menu an item belongs such that multiple menus may be included within a single data storage structure. Next, an item name field provides the name of an item. A price field provides the price of the item. A type of currency field designates the currency that the price is list in. A description field may provide a textual description of the menu item. Fields such as the heart smart field designate overall ratings of the food menu item. An overall dietary daily values field includes a breakdown of the serving size, calories, fat contents, carbohydrates, protein, sodium, vitamins and other dietary values.

An ingredients field provides a list of all ingredients utilized in the preparation of a menu item. In addition, the amounts of each ingredient are designated. Further, additional ingredients making up each ingredient may be included. For example, the ingredients that are utilized to produce brandy may be listed. Additionally, fields are included for designating whether or not an ingredient contains alcohol or caffeine, utilizes organically grown and/or free range products, is prepared kosher or is a vegan-friendly ingredient. In addition, the dietary daily value breakdown for each ingredient is provided. For example, the number of calories provided by ½ lb. of chicken is distinguished. Additional ratings fields for each ingredient may be provided.

Referring now to **FIG. 5**, there is depicted a block diagram of a storage structure for a selection of food preferences in accordance with the present invention. As illustrated, the data corresponding to a selection of food preferences is preferably stored in a data storage structure such as database **80**. The example database **80** is provided in order to depict a selection of fields **72** which may be included in a data storage structure. For the purposes of example, food preferences have been entered for rows **74** and **76**. In alternate embodiments, alternate selections of fields for food preferences may be utilized. In addition, alternate types of data storage structures and methods may be utilized. Further, while not depicted, a graphical interface for entering a selection of fields **72** and food preferences is preferably provided by a data processing system such as computer system **10**.

As illustrated in **FIG. 5**, fields **72** include multiple fields that are utilized for filtering a food menu. For example, a user field designates the user of the specifications for a row such that preferences for multiple users may be included. Next, an age field designates the age of each user. The age of the user is preferably automatically incremented from the user's birthdate. The price range field includes price range limits. Price range limits may be set by the user, or may be set automatically by a money management application that tracks the customer's available resources and budgetary constraints. Alternatively, a user may designate a particular price range of breakfasts, lunches and dinners. In addition, the user may designate a particular price range depending on who the user is dining with. A currency preference field designates in which currency the user would prefer to see prices listed.

Further a special instructions field may include other special instructions that the user designates.

Ingredients to avoid field includes ingredients which the user does not want included. Preparation preferences field designates any preparation preferences that the user desires. Ratings selection field includes multiple fields including alcohol preference, caffeine preference, heart smart meal preference, organic product preference, kosher preparation preference, protein preference, fat preference, calorie preference. Protein preference, fat preferences and calorie preference may be fields that are set by the user or alternatively may be set by a food monitoring program that controls the amount of protein, fat and calories that a user consumes daily.

In addition, a user may designate the level of security that is desired with the data for each user ID. For example, a security preference may block a user ID from being accessed. In another example, a security preference may designate who can access the food preferences and how long the data can be held in an alternate data storage device. As is well known in the art, other types of data security may be designated by the user to protect their food preference data.

With reference now to **FIGS. 6a-6c**, there is depicted a graphical representation of a specialized electronic food menu according the method and system of a preferred embodiment of the present invention. In the examples, the specialized electronic food menu is determined by food preferences for user 1. Food preferences for user 1 are depicted at row 74 of **FIG. 5** and have preferably been previously stored in a manner that is accessible to computer system 10. In comparing the food menu items

illustrated at rows 64 and 66 of FIG. 4 with the user preferences for user 1, "Dish 1" is selected from the menu items.

5 Referring to FIG. 6a, a graphical display 80 includes a graphical representation 82 of a specialized electronic food menu, wherein graphical representation 82 depicts only the menu items that are selected. In the present example, only Dish 1 meets the customer's food
10 preferences. With reference to FIG. 6b, a graphical display 92 includes a graphical representation 94 of a specialized electronic food menu, wherein graphical representation 94 illustrates all the menu items, however the menu items that are not selected are flagged. In the example, Dessert 1 and App 1 are flagged as not meeting the customer's food preferences. In addition, a description and price of the flagged items is not included. However, in alternate embodiments, the description and price of flagged items may be included.
15 Referring to FIG. 6c, a graphical display 96 includes a graphical representation 98 of a specialized electronic food menu. In the example, an output preferences for user 1 specifies output in a large font size. Therefore, graphical representation 98 illustrates the specialized menu at a particular large font size. Preferably, the user can specify a font size or a range of font sizes for the text of a specialized food menu.
20
25

30 In both embodiments depicted, a user may select the scroll bar 88 in order to scroll through the menu for user 1 utilizing pointing indicator 90. In addition, the user may select from buttons 84 and 86 to perform functions such as placing an order or switching user preferences. In alternate embodiments, alternate types of graphical
35 displays may be provided. In addition, the display is

preferably adjusted according to any user display preferences, as previously described. Further, as previously described, while a graphical representation of a specialized electronic food menu is displayed utilizing one rendering method, other rendering methods may be utilized.

Referring now to **FIG. 7**, there is illustrated a high level logic flowchart of a process for specializing an electronic food menu for a particular customer. As depicted, the process starts at block **100** and thereafter proceeds to block **102**. Block **102** illustrates a determination as to whether a request to retrieve a food menu is received. If a request to retrieve a food menu is not received, the process iterates at block **102**. If a request to retrieve a food menu is received, the process passes to block **104**. Block **104** depicts transmitting a request for a food menu. In particular, the request for a food menu is transmitted to a data storage medium via the particular communications media utilized by the computer system performing the process. Next, block **106** illustrates a determination as to whether a connection to the food menu is received. If the connection to the food menu is not yet received, the process passes to block **104**. If the connection to the food menu is received, the process passes to block **108**.

Block **108** depicts setting the current item to the first food menu item of the food menu received. Next, block **110** illustrates comparing the current item with the food preferences for a particular customer. Thereafter, block **112** depicts a determination as to whether the current item satisfies the food preferences for the particular customer. If the current item does not satisfy the user preferences for the particular customer, the

process passes to block 113. Block 113 illustrates designating the ingredients that do not satisfy the food preferences. Next, block 115 depicts determining substitute ingredients for those ingredients that do not satisfy the food preferences. The restaurant may provide a list of substitute ingredients with the food menu items or the computer system may include a list of substitute ingredients. If the current item does satisfy the user preferences for the particular customer, the process passes to block 114. Block 114 illustrates designating the current item as a food menu item selection. Thereafter, the process passes to block 116.

Block 116 illustrates a determination as to whether any food menu items remain. If there are not any remaining food menu items, the process passes to block 120. If there are remaining food menu items, the process passes to block 118. Block 118 depicts setting the current item to the next food menu item. Thereafter, the process passes to block 110.

Block 120 depicts a determination as to whether any user output preferences are set for the particular customer. If no user output preferences are set for the particular customer, the process passes to block 122. Block 122 illustrates setting the output mode to a generic graphical display and thereafter the process passes to block 126. If user output preferences are set for the particular customer, the process passes to block 124. Block 124 depicts setting the output mode according to the user output preferences. Thereafter, block 126 illustrates outputting the specified electronic food menu in the output mode, wherein food menu items that satisfy food preferences for the particular customer are distinguishable. Next, block 128 depicts storing the

specified electronic food menu. Thereafter, the process ends. As previously described, output preferences may include the color, sequence, size and other graphical distinctions. In addition, output preferences may designate displaying only those food menu items that satisfy user preferences. Moreover, output preferences may indicate what informational data a user wants with the food menu items.

With reference now to **FIG. 8**, there is depicted a high level logic flowchart of a process for placing a food order. As illustrated, the process starts at block **130** and thereafter proceeds to block **132**. Block **132** depicts a determination as to whether a request to place an order is made. Requests to place orders may come from a user selecting an order from a specified electronic food menu or may come from a queued order stored on the customer's computer system. If a request to place an order is not made, the process iterates at block **132**. If a request to place an order is made, the process passes to block **134**. Block **134** illustrates detecting food menu items that are selected by the user. Next, block **142** depicts calculating a price for the order with adjustment for any electronic coupons being redeemed. Thereafter, block **144** illustrates transmitting electronic payment data. Next, block **146** depicts a determination as to whether payment authorization is received. If payment authorization is not received, the process passes to block **148**. Block **148** illustrates outputting an error message and then the process ends. If payment authorization is received, the process passes to block **136**.

Block **136** depicts attaching special requests to the food menu items selected by the user. Thereafter, block **138** illustrates converting the food menu items selected by

the user into a transmittable format. Next, block 140 depicts transmitting the converted food menu items selected by the user to an order queue of a data storage medium. Thereafter, the process ends. While one embodiment of a process for placing a food order is depicted, alternate processes may be utilized for placing food orders wherein users select from the specialized electronic food menu and that selection is transmitted to an order queue or other order system.

Referring now to **FIG. 9**, there is illustrated a high level logic flowchart of a process for presenting electronic coupons. As depicted, the process starts at block 150 and thereafter proceeds to block 152. Block 152 illustrates a determination as to whether any electronic coupons are received with the food menu items. Thereafter, block 153 depicts filtering the electronic coupons according to food preferences. Next, block 154 illustrates a determination as to whether any calendar based electronic coupons are received. If calendar based electronic coupons are received, the process passes to block 158. Block 158 depicts updating an electronic calendar with the calendar based electronic coupons and the process passes to block 156. Block 156 illustrates updating the graphical display with any non-calendar based electronic coupons and the process ends.

It is important to note that, although the present invention has been described in the context of a fully functional computer system, those skilled in the art will appreciate that the mechanisms of the present invention are capable of being distributed as a program product in a variety of forms, and that the present invention applies equally regardless of the particular type of signal-bearing media utilized to actually carry out the

distribution. Examples of signal-bearing media include, but are not limited to, recordable-type media such as floppy disks or CD-ROMs and transmission-type media such as analogue or digital communications links.

5

While the invention has been particularly shown and described with reference to a preferred embodiment, it will be understood by those skilled in the art that various changes in form and detail may be made therein without departing from the spirit and scope of the invention.

10

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100

CLAIMS:

What is claimed is:

1 1. A method for specifying an electronic food menu, said
2 method comprising the steps of:

3 retrieving a plurality of food menu items from a data
4 storage medium;

5 comparing said plurality of food menu items with
6 previously stored food preferences for a particular
7 customer; and

8 selecting a food menu wherein said plurality of food
9 menu items that satisfy said food preferences for said
10 particular customer are designated, such that an
11 electronic food menu is specified for a particular
12 customer.

1 2. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 graphically displaying said selected food menu
5 according to a output preference for said particular
6 customer, such that the graphical representation of said
7 selected food menu is provided to accommodate a display
8 preference for said particular customer.

1 3. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying only said plurality of food
5 menu items of said selected food menu that are designated.

1 4. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying said selected food menu in
5 order from designated food menu items to non-designated
6 food menu items.

1 5. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying said selected food menu,
5 wherein said plurality of food menu items that do not
6 satisfy said previously stored food preferences for said
7 particular customer are graphically distinguishable from
8 said plurality of food menu items that do satisfy said
9 food preferences for said particular customer.

1 6. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying a tactile-detectable graphical
5 representation of said selected food menu, wherein said
6 output preference for said particular customer designates
7 a tactile-detectable graphical representation.

1 7. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying a graphical representation of
5 said selected food menu utilizing a particular font size,
6 wherein said output preference for said particular
7 customer designates said particular font size.

1 8. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying a graphical representation of
5 said selected food menu utilizing a particular language,
6 wherein said output preference for said particular
7 customer designates said particular language.

1 9. The method for specifying an electronic food menu
2 according to claim 2, said step of graphically displaying
3 said selected food menu further comprising the step of:

4 graphically displaying a graphical representation of
5 said selected food menu wherein prices are displayed in a
6 particular currency, wherein said output preference for
7 said particular customer designates said particular
8 currency.

1 10. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 transmitting auditory output of said selected food
5 menu for said particular customer.

1 11. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 graphically printing said selected food menu for said
5 particular customer.

1 12. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 graphically displaying said selected food menu
5 according to a generic style sheet.

1 13. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items via a
6 wireless transmission medium.

1 14. The method for specifying an electronic food menu
2 according to claim 13, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items via a
6 radio frequency transmission medium.

1 15. The method for specifying an electronic food menu
2 according to claim 13, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items via an
6 infrared connection.

1 14. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items via a
6 network connection.

1 15. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items via a
6 wired connection.

1 16. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 receiving said plurality of food menu items in a data
6 transmission protocol.

1 17. The method for specifying an electronic food menu
2 according to claim 16, said step of receiving said
3 plurality of food menu items in a data transmission
4 protocol, further comprising the step of:

5 transmitting said food menu items in an extensible
6 mark-up language protocol.

1 18. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving a plurality
3 of food menu items from a data storage medium, further
4 comprising the step of:

5 accessing a plurality of food menu items from a
6 database, wherein each of said plurality of food menu
7 items comprises a plurality of food and health
8 identifiers.

1 19. The method for specifying an electronic food menu
2 according to claim 1, said step of comparing said
3 plurality of food menu items with a plurality of
4 previously stored food preferences for a particular
5 customer, further comprising the step of:

6 accessing said previously stored food preferences
7 from a local data storage medium, wherein said previously
8 stored food preferences for a particular customer comprise
9 a plurality of food and health ratings.

1 20. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 transmitting said previously stored food preferences
5 for said particular customer to said data storage medium
6 for storage.

1 21. The method for specifying an electronic food menu
2 according to claim 20, said step of transmitting said
3 previously stored food preferences further comprising the
4 step of:

5 determining electronic coupons to provide to a
6 particular customer from said previously stored food
7 preferences.

1 22. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 steps of:

4 receiving an order from said particular customer for
5 food menu items from said selected food menu; and

6 transmitting said order to an order retrieval system.

1 23. The method for specifying an electronic food menu
2 according to claim 22, said method further comprising the
3 step of:

4 confirming electronic payment for said order.

1 24. The method for specifying an electronic food menu
2 according to claim 22, said method further comprising the
3 step of:

4 adjusting a waiting period for said order in
5 accordance with a said food preferences for said
6 particular customer.

1 25. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 step of:

4 updating an electronic calendar with said food menu
5 items that are specified for a particular time period.

1 26. The method for specifying an electronic food menu
2 according to claim 1, said step of retrieving said
3 plurality of food menu items from said data storage medium
4 further comprises the step of:

5 retrieving electronic coupons for said plurality of
6 food menu items from said data storage medium.

1 27. The method for specifying an electronic food menu
2 according to claim 26, said method further comprising the
3 step of:

4 filtering said electronic coupons that are displayed
5 to a particular customer according to said food
6 preferences for said particular customer.

1 28. The method for specifying an electronic food menu
2 according to claim 26, said method further comprising the
3 step of:

4 updating an electronic calendar with said electronic
5 coupons that are specified for a particular time period.

1 29. The method for specifying an electronic food menu
2 according to claim 1, said method further comprising the
3 steps of:

4 comparing said plurality of food menu items with a
5 plurality of previously stored food preferences for a
6 plurality of customers; and

7 selecting a food menu wherein said plurality of food
8 menu items that satisfy said previously stored food
9 preferences for said plurality of customers are
10 distinguished, such that an electronic food menu is
11 specified for said plurality of customers.

1 30. The method for specifying an electronic food menu
2 according to claim 29, said method further comprising the
3 step of:

4 retrieving electronic coupons that are specified for
5 said plurality of customers.

1 31. A system for specifying an electronic food menu, said
2 system comprising:

3 a data storage medium comprising a plurality of food
4 menu items;

5 a data processing system with access to said data
6 storage medium;

7 wherein said data processing system comprises:

8 a communications medium for retrieving said
9 plurality of food menu items from said data storage
10 medium;

11 means for comparing said plurality of food menu
12 items with a plurality of previously stored food
13 preferences for a particular customer;

14 means for selecting a food menu wherein said
15 plurality of food menu items that satisfy said
16 previously stored food preferences for said
17 particular customer are distinguished, such that an
18 electronic food menu is specified for a particular
19 customer.

1 32. The system for specifying an electronic food menu
2 according to claim 31, said system further comprising:

3 a graphical display monitor for displaying said
4 selected food menu according to an output preference for
5 said particular customer, such that the graphical
6 representation of said food menu is provided to
7 accommodate a display preference of said particular
8 customer.

1 33. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor only displays said plurality of food menu items of
4 said selected food menu that are designated.

1 34. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays said selected food menu items in order
4 from designated food menu items to non-designated food
5 menu items.

1 35. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays said specified food menu such that said
4 plurality of food menu items that do not satisfy said
5 previously stored food preferences for said particular
6 customer are graphically distinguishable from said
7 plurality of food menu items that do satisfy said food
8 preferences for said particular customer.

1 36. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays a tactile-detectable graphical
4 representation of said selected food menu.

1 37. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays a graphical representation of said
4 selected food menu utilizing a particular font size.

1 38. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays a graphical representation of said
4 selected food menu utilizing a particular language.

1 39. The system for specifying an electronic food menu
2 according to claim 32, wherein said graphical display
3 monitor displays a graphical representation of said
4 selected food menu wherein said prices are depicted
5 utilizing a particular currency.

1 40. The system for specifying an electronic food menu
2 according to claim 31, said system further comprising:

3 an audio element for transmitting auditory output of
4 said selected food menu for said particular customer.

1 41. The system for specifying an electronic food menu
2 according to claim 31, said system further comprising:

3 a printing element for graphically printing said
4 selected food menu for said particular customer.

1 42. The system for specifying an electronic food menu
2 according to claim 21, said system further comprising:

3 a graphical display monitor for displaying a
4 graphical representation of said selected food menu
5 according to a generic style sheet.

1 43. The system for specifying an electronic food menu
2 according to claim 21, wherein said means for retrieving a
3 plurality of food menu items from said data storage
4 medium, further comprises:

5 a wireless communication element for receiving said
6 plurality of food menu items via a wireless transmission
7 medium.

1 44. The system for specifying an electronic food menu
2 according to claim 43, wherein said wireless communication
3 element supports communication via a radio frequency
4 transmission.

1 45. The system for specifying an electronic food menu
2 according to claim 43, wherein said wireless communication
3 element supports communication via an infrared
4 transmission.

1 46. The system for specifying an electronic food menu
2 according to claim 31, wherein said means for retrieving a
3 plurality of food menu items from said data storage
4 medium, further comprises:

5 a network element for receiving said plurality of
6 food menu items via a network connection.

1 47. The system for specifying an electronic food menu
2 according to claim 31, wherein said means for retrieving a
3 plurality of food menu items from said data storage
4 medium, further comprises:

5 a socket interface for receiving said plurality of
6 food menu items via a wired connection.

1 48. The system for specifying an electronic food menu
2 according to claim 31, wherein said means for retrieving a
3 plurality of food menu items from said data storage
4 medium, further comprises:

5 a data transmission protocol for specifying data
6 transmissions across said communications medium.

1 49. The system for specifying an electronic food menu
2 according to claim 31, wherein said data transmission
3 protocol is an extensible mark-up language protocol.

1 50. The system for specifying an electronic food menu
2 according to claim 31, wherein said data storage medium
3 further comprises:

4 a plurality of food menu items accessible from a
5 database, wherein each of said plurality of food and
6 health identifiers.

1 51. The system for specifying an electronic food menu
2 according to claim 31, said system further comprising:

3 a local data storage medium comprising said
4 previously stored food preferences for said particular
5 customer, wherein said previously stored food preferences
6 for a particular customer comprise a plurality of food and
7 health ratings.

1 52. The system for specifying an electronic food menu
2 according to claim 31, said system further comprising:

3 means for transmitting said previously stored food
4 preferences for said particular customer to said data
5 storage medium.

1 53. The system for specifying an electronic food menu
2 according to claim 31, said data processing system further
3 comprising:

4 a local data storage medium for storing said selected
5 food menu, such that said selected food menu is recallable
6 from said local data storage medium.

1 54. The system for specifying an electronic food menu
2 according to claim 31, wherein said data processing system
3 comprises a pervasive data processing system.

1 55. The system for specifying an electronic food menu
2 according to claim 31, wherein said data processing system
3 transmits an order to an order queue of food menu items
4 from said selected menu that are selected by said
5 particular customer.

1 56. The system for specifying an electronic food menu
2 according to claim 55, wherein said data processing system
3 requests confirmation of an electronic payment for said
4 order.

1 57. The system for specifying an electronic food menu
2 according to claim 31, wherein said data processing system
3 further comprises an electronic calendar that is updated
4 with food menu items that are designated for a particular
5 time period.

1 58. The system for specifying an electronic food menu
2 according to claim 31, wherein said data storage medium
3 further comprises a plurality of electronic coupons for
4 said plurality of food menu items.

1 59. The system for specifying an electronic food menu
2 according to claim 31, wherein said data processing system
3 further comprises:

4 means for comparing said plurality of food menu items
5 with a plurality of previously stored food preferences for
6 a plurality of customers; and

7 means for selecting a food menu wherein said
8 plurality of food menu items that satisfy said previously
9 stored food preferences for said plurality of customers
10 are distinguished, such that an electronic food menu is
11 specified for said plurality of customers.

12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196

1 60. A program, residing on a computer usable medium
2 having computer readable program code means, said program
3 comprising:

4 means for retrieving a plurality of food menu items
5 from a data storage medium;

6 means for comparing said plurality of food menu items
7 with previously stored food preferences for a particular
8 customer; and

9 means for generating a food menu designating a
10 selection of said plurality of food menu items that
11 satisfy said previously stored food preferences for said
12 particular customer.

13 61. The program according to claim 60, said program
14 further comprising:

15 means for enabling a graphical display of said
16 plurality of food menu items, wherein said plurality of
17 food menu items that do not satisfy said previously stored
18 preferences are graphically designated.

19 62. The program according to claim 60, said program
20 further comprising:

21 means for enabling said graphical display of said
22 generated food menu according to an output preference for
23 said particular customer.

1 63. The program according to claim 60, said program
2 further comprising:

3 means for enabling auditory output of said generated
4 food menu for said particular customer.

1 64. The program according to claim 60, said program
2 further comprising:

3 means for enabling tactile-detectable output of said
4 generated food menu for said particular customer.

1 65. The program according to claim 60, said program
2 further comprising:

3 means for transmitting said previously stored food
4 preferences for said particular customer to said data
5 storage medium.

1 66. The program according to claim 60, said program
2 further comprising:

3 means for receiving an order from said particular
4 customer of selected food menu items from among said
5 selected food menu; and

6 means for transmitting said order to an order
7 retrieval system.

1 67. A system for displaying an electronic food menu, said
2 system comprising:

3 a data storage medium comprising a plurality of food
4 menu items;

5 a data processing system with access to said data
6 storage medium,

7 wherein said data processing system comprises:

8 a communications medium for retrieving said
9 plurality of food menu items from said data storage
10 medium;

11 a graphical display that displays said plurality
12 of food menu items according to a display style.

1 68. The system for displaying an electronic food menu
2 according to claim 67, wherein said communications medium
3 comprises a wireless data transmissions.

1 69. The system for displaying an electronic food menu
2 according to claim 68, wherein said wireless data
3 transmissions comprise radio frequency data transmissions.

1 70. The system for displaying an electronic food menu
2 according to claim 69, wherein said wireless data
3 transmissions comprise infrared data transmissions.


ABSTRACT OF THE DISCLOSURE

METHOD, SYSTEM AND PROGRAM FOR SPECIFYING AN ELECTRONIC
FOOD MENU ON A PERSONAL DATA PROCESSING SYSTEM

Multiple food menu items are retrieved from a data storage medium by a data processing system with access to the data storage medium via a communications medium. The multiple food menu items are compared with previously stored food preferences for a particular customer. A food menu is selected, wherein the food menu items that satisfy said food preferences for said particular customer are distinguished, such that an electronic food menu is specified for a particular customer.

5

1. A method for specifying an electronic food menu on a personal data processing system, comprising the steps of: retrieving multiple food menu items from a data storage medium by a data processing system with access to the data storage medium via a communications medium; comparing the multiple food menu items with previously stored food preferences for a particular customer; selecting a food menu wherein the food menu items that satisfy said food preferences for said particular customer are distinguished; and specifying an electronic food menu for a particular customer.






FIG. 2




FIG. 3

#	Name	Price	Type of Currency	Desc	Heart Smart	Overall Dietary Values	Ingredients	Amounts and Addl ingred.	Alcohol	Caffeine	Organic/Free Range	Kosher	Vegan	Dietary Daily Values
1	Dish 1	2.00	US Dollar	Cup of hot, steamy soup	Yes	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	Water Chicken Green chiles Salt	4 oz. 1/2 lb. 1 cup 2 tsp	No No No No	No No No No	- Yes Yes -	- No - -	- No Yes -	
1	Dessert 1	5.00	US Dollar	Hot apples with brandy	No	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	Apples Cinnamon Sugar Brandy	1 cup 2 tbs 1/2 cup 1/4 cup	No No No Yes	No No No No	Yes - - -	- - - -	Yes - - No	
2	App 1	7.00	US Dollar	Cheesy dip	No	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	American cheese Tomatoes Onions Cilantro	2 cups 1 cup 1/2 cup 1/4 cup	No No No No	No No No No	Yes Yes Yes Yes	- - - -	No Yes Yes Yes	

FIG. 4

70

#	Name	Price	Type of Currency	Desc	Heart Smart	Overall Dietary Values	Ingredients	Amounts and Addl ingred.	Alcohol	Caffeine	Heart Smart	Organic	Kosher	Protein	Fat	Calories	Security pref.
1	Dish 1	2.00	US Dollar	Cup of hot, steamy soup	Yes	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	Water Chicken Green chiles Salt	4 oz. 1/2 lb. 1 cup 2 tsp	No No No No	No No No No	Yes Yes Yes Yes	- Yes Yes Yes	- Yes Yes Yes	Less than 10g Less than 10g Less than 20g More than 10g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	None None None Block
1	Dish 1	2.00	US Dollar	Cup of hot, steamy soup	Yes	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	Water Chicken Green chiles Salt	4 oz. 1/2 lb. 1 cup 2 tsp	No No No No	No No No No	Yes Yes Yes Yes	- Yes Yes Yes	- Yes Yes Yes	Less than 10g Less than 10g Less than 20g More than 10g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	None None None Block
1	Dish 1	2.00	US Dollar	Cup of hot, steamy soup	Yes	Serving Size Calories %Fat %Carbohydrates %Sodium Vitamins	Water Chicken Green chiles Salt	4 oz. 1/2 lb. 1 cup 2 tsp	No No No No	No No No No	Yes Yes Yes Yes	- Yes Yes Yes	- Yes Yes Yes	Less than 10g Less than 10g Less than 20g More than 10g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	Less than 300 calories Less than 400 calories More than 400 calories More than 15g	None None None Block

FIG. 5




FIG. 6a




FIG. 6b




FIG. 6c




FIG. 7




FIG. 8




FIG. 9







FIG. 10

FIG. 10 is a block diagram of a computer system architecture.



•
•
•

~200n



**DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**METHOD, SYSTEM AND PROGRAM FOR SPECIFYING AN ELECTRONIC FOOD MENU
ON A DATA PROCESSING SYSTEM**

the specification of which (check one)

X is attached hereto.

— was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):	Priority Claimed	
_____	_____	___ Yes___ No
(Number)	(Country)	(Day/Month/Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____	_____	_____
(Application Serial #)	(Filing Date)	(Status)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and

further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Vollel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Anthony V. England, Reg. No. 35,129; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; Mark E. McBurney, Reg. No. 33,114; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Matthew S. Anderson, Reg. No. 39,093; Matthew W. Baca, Reg. No. 42,277; Michael R. Barré, Reg. No. 44,023; Max Cicccarelli, Reg. No. 39,454; Andrew J. Dillon, Reg. No. 29,634; Justin M. Dillon, Reg. No. 42,486; John G. Graham, Reg. No. 19,563; Andrew M. Harris, Reg. No. 42,638; Steven Lin, Reg. No. 35,250; Richard N. McCain, Reg. No. 43,785; Jack V. Musgrove, Reg. No. 31,986; Antony P. Ng, Reg. No. 43,427; Michael E. Noe, Jr., Reg. No. 44,975; Brian F. Russell, Reg. No. 40,796; and Daniel E. Venglarik, Reg. No. 39,409.

Send correspondence to: Andrew J. Dillon, FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350 Lakewood on the Park, 7600B North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Andrew J. Dillon, (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: MICHAEL WAYNE BROWN

INVENTORS SIGNATURE: Michael Wayne Brown DATE: 16-Dec-1999

RESIDENCE: 529 River Down Road
Georgetown, Texas 78628

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 529 River Down Road
Georgetown, Texas 78628

FULL NAME OF SECOND INVENTOR: ^{Kelvin}
~~KEVIN~~ RODERICK LAWRENCE

INVENTORS SIGNATURE: Kelvin Roderick Lawrence DATE: 16-DEC-1999

RESIDENCE: 1013 Long Cove
Round Rock, Texas 78664

CITIZENSHIP: United Kingdom

POST OFFICE ADDRESS: 1013 Long Cove
Round Rock, Texas 78664

DOCKET NUMBER: AUS990846US1

FULL NAME OF THIRD INVENTOR: MICHAEL A. PAOLINI

INVENTORS SIGNATURE: *Michael A. Paolini* DATE: 12-16-1999

RESIDENCE: 1406 Terra Street
Round Rock, Texas 78664

CITIZENSHIP: U.S.A.

POST OFFICE ADDRESS: 1406 Terra Street
Round Rock, Texas 78664